


EXISTING WAREHOUSE BUILDING



1040 CRANSTON STREET
CRANSTON, RI 02920
E-MAIL: ARCHITECTURA@IDS.NET

401.942.7878
FAX 942.7333

GENERAL DEMOLITION NOTES

1. IN ACCORDANCE WITH FEDERAL REGULATIONS PROMULGATED UNDER THE CLEAN AIR ACT, AND COMMONLY REFERRED TO AS ASBESTOS REMOVAL WORK SPECIFICALLY 40 CFR PART 61, SUBPART M, SECTION 61.145, THE CONTRACTOR SHALL VERIFY THAT AN ASBESTOS SURVEY HAS BEEN CONDUCTED PRIOR TO THE COMMENCEMENT OF DEMOLITION OR RENOVATION WORK WHICH IS PART OF THIS CONTRACT.
2. IN ACCORDANCE WITH ABOVE REGULATION REQUIREMENTS, THE CONTRACTOR SHALL FILE WRITTEN NOTIFICATION WITH THE EPA PRIOR TO ANY DEMOLITION WORK BEING PERFORMED REGARDLESS OF THE AMOUNT OF ASBESTOS, INCLUDING ZERO.
3. ALL DEMOLITION WORK SHALL BE PERFORMED IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS. SECURE REQUIRED PERMITS, ARRANGE WITH BUILDING OWNER AND/OR APPROPRIATE UTILITY COMPANIES FOR SERVICE SHUTOFFS BEFORE BEGINNING DEMOLITION OPERATIONS.
4. CONTRACTOR SHALL CONSULT WITH OWNER AND FIRE OFFICIALS PRIOR TO MAKING ANY ALTERATIONS TO THE EXISTING SPRINKLER SYSTEM.
5. COORDINATE ALL DEMOLITION OPERATIONS WITH OWNER FOR SHUTDOWN PERIODS AND SEQUENCE OF WORK. PROVIDE TEMPORARY DUST PARTITIONS, BARRICADES, AND PROTECTIVE ENCLOSURES REQUIRED TO PROPERLY SECURE, ISOLATE, WATERPROOF, AND PROTECT AREAS OF WORK FROM EXISTING AREAS TO REMAIN IN OPERATION AND TO ASSURE CONTINUING FACILITY OPERATIONS IN GENERAL.
6. IT IS NOT THE INTENT TO SHOW EVERY PIECE OR ITEM TO BE REMOVED IN DEMOLITION WORK. MECHANICAL, ELECTRICAL, AND OTHER WORK RELATED TO A HALL OR AREA SCHEDULED FOR DEMOLITION AND REMOVAL SHALL BE REMOVED WHETHER SPECIFICALLY ITEMIZED OR NOT. TERMINATE, CAP AND REMOVE ALL ABANDONED ELECTRICAL CONDUIT, WIRING BOXES, SWITCHES, ETC., PLUMBING, PIPING, AND PLUMBING FIXTURES, ETC., HVAC DUCTWORK, CONTROLS, PIPING, ETC., AS REQUIRED.
7. WHEN WALLS, COLUMNS, OR OTHER SUPPORTING AND/OR BRACING ELEMENTS ARE SCHEDULED FOR DEMOLITION, TEMPORARY STRUCTURAL SUPPORTS AND BRACING FOR THE ADJACENT CONSTRUCTION SHALL BE PROVIDED AND MAINTAINED UNTIL THE PERMANENT SUPPORTING STRUCTURES ARE IN PLACE AND ABLE TO SUPPORT IMPOSED LOADS.
8. WHERE EXISTING WALL SUBSTRATES REMAIN AS BASE MATERIAL SURFACES FOR INSTALLATION OF NEW FINISHES, REMOVE PROJECTIONS, FILL VOIDS, SECURE OR REMOVE AND REPLACE ANY EXISTING LOGS OR OTHERWISE UNSUITABLE SUBSTRATE MATERIALS AND ADD BLOCKING OR STRAPPING TO RECEIVE NEW MATERIALS AND FINISHES. STRIP EXISTING WALL FINISH MATERIAL TO EXPOSE SUBSTRATE WHERE NEEDED.
9. REMOVE ALL EXISTING CEILING FINISH MATERIAL AND FRAMING/SUSPENSION SYSTEMS AS REQUIRED TO ACCOMMODATE NEW WORK. REMOVE ALL EXISTING SOFFITS AND FRAMING.
10. PATCH, REPAIR AND REFINISH ALL SURFACES TO MATCH AND ALIGN WITH EXISTING ADJACENT SURFACES SCHEDULED TO REMAIN, AND PREPARE TO RECEIVE NEW FINISHES. SPECIFIED WORK SHALL INCLUDE ALL LABOR AND MATERIALS ON ALL SURFACES REQUIRED TO RENDER SUBSTRATES ACCEPTABLE TO RECEIVE NEW FINISHES SPECIFIED IN ACCORDANCE WITH MANUFACTURER'S WRITTEN RECOMMENDATIONS.
11. PROTECT FROM LOSS OR DAMAGE ALL ITEMS INTENDED FOR SALVAGE AND REUSE, OR SCHEDULED TO REMAIN.
12. REPLACE IN KIND ANY EXISTING CONSTRUCTION INTENDED TO REMAIN, OR BE SALVAGED FOR REUSE, BUT DAMAGED OR LOST AS A RESULT OF THE WORK OF THIS CONTRACT.
13. ITEMS TO BE SALVAGED BUT NOT SO SCHEDULED ON THE DEMOLITION PLAN SHALL BE CONFIRMED BY THE CONTRACTOR WITH THE OWNER, LOCAL AUTHORITIES, OR UTILITY COMPANIES. ALL ITEMS TO BE TURNED OVER TO THE OWNER, LOCAL AUTHORITIES, OR UTILITY COMPANIES SHALL BE PROTECTED DURING DEMOLITION AND REMOVAL AND SHALL BE DELIVERED TO THE APPROPRIATE PARTY IN AN UNDamaged CONDITION.
14. REUSE OF SALVAGED MATERIALS NOT SPECIFICALLY SCHEDULED FOR REUSE, WILL BE AT THE SOLE DISCRETION OF THE OWNER. IN NO CASE SHALL SALVAGED MATERIAL BE INCORPORATED IN THE WORK THAT DOES NOT MEET MINIMUM REQUIREMENTS OF STATE AND LOCAL CODES AND REGULATIONS.
15. SCHEDULES OF ADDITIONAL ITEMS TO BE SALVAGED (IF ANY) ARE TO BE PROVIDED BY THE OWNER UPON REQUEST OF THE CONTRACTOR.
16. REMOVE ALL DEMOLISHED MATERIALS NOT SCHEDULED FOR SALVAGE AND REUSE, OR THOSE TO BECOME PROPERTY OF THE OWNER, LOCAL AUTHORITIES, OR UTILITY COMPANIES FROM THE SITE AND DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.
17. FOR ADDITIONAL DEMOLITION NOTES, REFER TO STRUCTURAL, MECHANICAL AND ELECTRICAL DRAWINGS. IN DEMOLITION PLANS SHALL BE USED IN CONJUNCTION WITH DRAWINGS FOR NEW CONSTRUCTION (INTERIOR ELEVATIONS, DETAILS, ETC.) SO THAT EXACT LIMIT AND BOUNDARIES OF SPECIFIC DEMOLITION MAY BE DETERMINED.
18. DEMOLITION PLANS SHALL BE USED IN CONJUNCTION WITH DRAWINGS FOR NEW CONSTRUCTION (INTERIOR ELEVATIONS, DETAILS, ETC.) SO THAT EXACT LIMIT AND BOUNDARIES OF SPECIFIC DEMOLITION MAY BE DETERMINED.


1 DEMOLITION PLAN - FIRST FLOOR
SCALE: 1/8"=1'-0"

DEMOLITION PLAN LEGEND

- REMOVE EXISTING DOOR & FRAME COMPLETELY
- REMOVE EXISTING DOOR & FRAME COMPLETELY
- COLUMN LINE TAG

DEMOLITION PLAN KEY NOTES

- 1 REMOVE AND DISPOSE (R & D) OF EXISTING WINDOWS AND FRAMES COMPLETELY. PREPARE UNIT AS REQ'D TO RECEIVE NEW WINDOW UNITS
- 2 REMOVE AND DISPOSE (R & D) OF EXISTING DOORS, HARDWARE AND FRAMES COMPLETELY
- 3 REMOVE AND DISPOSE (R & D) OF EXISTING RAMP
- 4 R&D ENTIRE WOOD LOADING DOCK COMPLETELY
- 5 FILL EXISTING MASONRY OPENING AS INDICATED, TYPICAL
- 6 REOPEN EXISTING BLOCKED MASONRY OPENINGS TO RECEIVE NEW WINDOWS AS SCHED'
- 7 MODIFY EXISTING MASONRY OPENING TO RECEIVE NEW WINDOWS AS SCHED'
- 8 NEW MASONRY OPENING COORDINATE W/ FLOOR PLAN FOR NEW DOOR SIZE
- 9 R & D EXISTING LIFT, COMPLETELY FILL IN EXISTING SECOND FLOOR
- 10 MODIFY EXISTING MASONRY OPENING, PROVIDE NEW STRUCTURAL STEEL LINTEL ANGLES AS REQ'D
- 11 FILL EXISTING M.O. AS INDICATED, TYPICAL. NEW FDN. STUB WALL TO LEVEL OF SHED AREA. DOWEL TO EXISTING WALL (NOT USED)
- 12 INFILL RAMP DOWN AREA (NOT USED)
- 13 CREATE NEW MASONRY OPENING FOR DOOR & FRAME. SEE FLOOR PLAN AND DOOR SCHEDULE
- 14 CREATE NEW MASONRY OPENINGS TO MATCH EXISTING
- 15 R&D ENTIRE EXISTING PASSAGEWAY DOWN TO CONC. FINISH
- 16 PROVIDE OPENING FOR NEW 16'-0" X 21'-0" SKYLIGHT. SALVAGE EXISTING WOOD ROOF DECKING
- 17 REMOVE EXISTING WINDOW MONITOR, COMPLETELY INFILL ROOF DECKING WITH SALVAGED MATL. FROM NEW SKYLIGHT OPENING
- 18 R & D CONCRETE STAIRS COMPLETELY
- 19 CREATE NEW MASONRY OPENINGS TO MATCH EXISTING FOR "BT" TYPE WINDOWS
- 20 R&D EXISTING WOOD STAIR COMPLETELY
- 21 REMOVE EXISTING FLOOR DECKING AS REQ'D FOR INSTALLATION OF NEW STAIR. SEE FLOOR PLAN



2 DEMOLITION PLAN - SECOND FLOOR
SCALE: 1/8"=1'-0"

ISSUE NO.	DATE	DESCRIPTION
ISSUE NO. 2	08/09/01	ISSUED FOR BID
ISSUE NO. 1	08/09/01	ISSUED FOR BID

PARAMOUNT CORPORATE OFFICES

AMERICAN TOURISTER COMPLEX
MAIN STREET
WARREN, RI



JOB # 903.01

DEMOLITION PLANS

SCALE AS NOTED


ALL DRAWINGS, PLANS, REPORTS, SPECIFICATIONS, COMPUTER DATA FILES, FIELD NOTES, AND ALL OTHER DOCUMENTS PREPARED BY ARCHITECTURA, INC., AS INSTRUMENTS OF SERVICE, SHALL REMAIN THE PROPERTY OF ARCHITECTURA, INC. ARCHITECTURA, INC. SHALL RETAIN ALL COMMON LAW, STATUTORY, AND OTHER RESERVED RIGHTS, INCLUDING THE COPYRIGHT THEREIN.

ALL DRAWINGS, PLANS, REPORTS, SPECIFICATIONS, COMPUTER DATA FILES, FIELD NOTES, AND ALL OTHER DOCUMENTS PREPARED BY ARCHITECTURA, INC., AS INSTRUMENTS OF SERVICE, SHALL REMAIN THE PROPERTY OF ARCHITECTURA, INC. ARCHITECTURA, INC. SHALL RETAIN ALL COMMON LAW, STATUTORY, AND OTHER RESERVED RIGHTS, INCLUDING THE COPYRIGHT THEREIN.



1 FIRST FLOOR PLAN
SCALE: 1/8"=1'-0"

2 SECOND FLOOR PLAN
SCALE: 1/8"=1'-0"



PARTITION WALL TYPES
SCALE: 1 1/2"=1'-0"


ISSUE NO.	DATE	DESCRIPTION
ISSUE NO. 2	08/09/01	ISSUED FOR BID
ISSUE NO. 1	08/01/01	ISSUED FOR PERMIT

**PARAMOUNT
CORPORATE OFFICES**
AMERICAN TOURISTER COMPLEX
MAIN STREET
WARREN, RI

JOB # 903.01
**FIRST & SECOND
FLOOR PLANS & WALL
DETAILS**

SCALE AS NOTED

ALL DRAWINGS, PLANS, REPORTS, SPECIFICATIONS, COMPUTER DATA FILES, FIELD NOTES, AND ALL OTHER DOCUMENTS PREPARED BY ARCHITECTURA, INC., AS INSTRUMENTS OF SERVICE, SHALL REMAIN THE PROPERTY OF ARCHITECTURA, INC. ARCHITECTURA, INC. SHALL RETAIN ALL COMMON LAW, STATUTORY, AND OTHER RESERVED RIGHTS, INCLUDING THE COPYRIGHT THEREIN.



ISSUE NO. 2	08/09/01	ISSUED FOR BID
ISSUE NO. 1	08/01/01	ISSUED FOR PERMIT
ISSUE NO.	DATE	DESCRIPTION

**PARAMOUNT
CORPORATE OFFICES**


AMERICAN TOURISTER COMPLEX
MAIN STREET
WARREN, RI

JOB # 903.01

SECOND FLOOR PLAN

SCALE AS NOTED

±504'-0"



±200'-0"

ESGAM

MEN

BENCH

GRINDER

SAND

CASE

STEEL

INSTALLERS

LIES

JOE

PAT

PARTS

RYAN

BENCH


EXTERIOR PATIO

EXTERIOR PATIO

MEZ. LEVEL

(C-000)

EXISTING WAREHOUSE BUILDING



1040 CRANSTON STREET
CRANSTON, RI 02920
E-MAIL: ARCHITECTURA@IDS.NET

401.942.7878
FAX 942.7333

GENERAL DEMOLITION NOTES

1. IN ACCORDANCE WITH FEDERAL REGULATIONS PROMULGATED UNDER THE CLEAN AIR ACT, AND COMMONLY REFERRED TO AS ASBESTOS REMOVAL WORK SPECIFICALLY 40 CFR PART 61, SUBPART M, SECTION 61.145, THE CONTRACTOR SHALL VERIFY THAT AN ASBESTOS SURVEY HAS BEEN CONDUCTED PRIOR TO THE COMMENCEMENT OF DEMOLITION OR RENOVATION WORK WHICH IS PART OF THIS CONTRACT.
2. IN ACCORDANCE WITH ABOVE REGULATION REQUIREMENTS, THE CONTRACTOR SHALL FILE WRITTEN NOTIFICATION WITH THE EPA PRIOR TO ANY DEMOLITION WORK BEING PERFORMED REGARDLESS OF THE AMOUNT OF ASBESTOS, INCLUDING ZERO.
3. ALL DEMOLITION WORK SHALL BE PERFORMED IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS. SECURE REQUIRED PERMITS, ARRANGE WITH BUILDING OWNER AND/OR APPROPRIATE UTILITY COMPANIES FOR SERVICE SHUTOFFS BEFORE BEGINNING DEMOLITION OPERATIONS.
4. CONTRACTOR SHALL CONSULT WITH OWNER AND FIRE OFFICIALS PRIOR TO MAKING ANY ALTERATIONS TO THE EXISTING SPRINKLER SYSTEM.
5. COORDINATE ALL DEMOLITION OPERATIONS WITH OWNER FOR SHUTDOWN PERIODS AND SEQUENCE OF WORK. PROVIDE TEMPORARY DUST PARTITIONS, BARRICADES, AND PROTECTIVE ENCLOSURES REQUIRED TO PROPERLY SECURE, ISOLATE, WATERPROOF, AND PROTECT AREAS OF WORK FROM EXISTING AREAS TO REMAIN IN OPERATION AND TO ASSURE CONTINUING FACILITY OPERATIONS IN GENERAL.
6. IT IS NOT THE INTENT TO SHOW EVERY PIECE OR ITEM TO BE REMOVED IN DEMOLITION WORK. MECHANICAL, ELECTRICAL, AND OTHER WORK RELATED TO A HALL OR AREA SCHEDULED FOR DEMOLITION AND REMOVAL SHALL BE REMOVED WHETHER SPECIFICALLY ITEMIZED OR NOT. TERMINATE, CAP AND REMOVE ALL ABANDONED ELECTRICAL CONDUIT, WIRING BOXES, SWITCHES, ETC., PLUMBING, PIPING, AND PLUMBING FIXTURES, ETC., HVAC DUCTWORK, CONTROLS, PIPING, ETC., AS REQUIRED.
7. WHEN WALLS, COLUMNS, OR OTHER SUPPORTING AND/OR BRACING ELEMENTS ARE SCHEDULED FOR DEMOLITION, TEMPORARY STRUCTURAL SUPPORTS AND BRACING FOR THE ADJACENT CONSTRUCTION SHALL BE PROVIDED AND MAINTAINED UNTIL THE PERMANENT SUPPORTING STRUCTURES ARE IN PLACE AND ABLE TO SUPPORT IMPOSED LOADS.
8. WHERE EXISTING WALL SUBSTRATES REMAIN AS BASE MATERIAL SURFACES FOR INSTALLATION OF NEW FINISHES, REMOVE PROJECTIONS, FILL VOIDS, SECURE OR REMOVE AND REPLACE ANY EXISTING LOGS OR OTHERWISE UNSUITABLE SUBSTRATE MATERIALS AND ADD BLOCKING OR STRAPPING TO RECEIVE NEW MATERIALS AND FINISHES. STRIP EXISTING WALL FINISH MATERIAL TO EXPOSE SUBSTRATE WHERE NEEDED.
9. REMOVE ALL EXISTING CEILING FINISH MATERIAL AND FRAMING/SUSPENSION SYSTEMS AS REQUIRED TO ACCOMMODATE NEW WORK. REMOVE ALL EXISTING SOFFITS AND FRAMING.
10. PATCH, REPAIR AND REFINISH ALL SURFACES TO MATCH AND ALIGN WITH EXISTING ADJACENT SURFACES SCHEDULED TO REMAIN, AND PREPARE TO RECEIVE NEW FINISHES. SPECIFIED WORK SHALL INCLUDE ALL LABOR AND MATERIALS ON ALL SURFACES REQUIRED TO RENDER SUBSTRATES ACCEPTABLE TO RECEIVE NEW FINISHES SPECIFIED IN ACCORDANCE WITH MANUFACTURER'S WRITTEN RECOMMENDATIONS.
11. PROTECT FROM LOSS OR DAMAGE ALL ITEMS INTENDED FOR SALVAGE AND REUSE, OR SCHEDULED TO REMAIN.
12. REPLACE IN KIND ANY EXISTING CONSTRUCTION INTENDED TO REMAIN, OR BE SALVAGED FOR REUSE, BUT DAMAGED OR LOST AS A RESULT OF THE WORK OF THIS CONTRACT.
13. ITEMS TO BE SALVAGED BUT NOT SO SCHEDULED ON THE DEMOLITION PLAN SHALL BE CONFIRMED BY THE CONTRACTOR WITH THE OWNER, LOCAL AUTHORITIES, OR UTILITY COMPANIES. ALL ITEMS TO BE TURNED OVER TO THE OWNER, LOCAL AUTHORITIES, OR UTILITY COMPANIES SHALL BE PROTECTED DURING DEMOLITION AND REMOVAL AND SHALL BE DELIVERED TO THE APPROPRIATE PARTY IN AN UNDAMAGED CONDITION.
14. REUSE OF SALVAGED MATERIALS NOT SPECIFICALLY SCHEDULED FOR REUSE, WILL BE AT THE SOLE DISCRETION OF THE OWNER. IN NO CASE SHALL SALVAGED MATERIAL BE INCORPORATED IN THE WORK THAT DOES NOT MEET MINIMUM REQUIREMENTS OF STATE AND LOCAL CODES AND REGULATIONS.
15. SCHEDULES OF ADDITIONAL ITEMS TO BE SALVAGED (IF ANY) ARE TO BE PROVIDED BY THE OWNER UPON REQUEST OF THE CONTRACTOR.
16. REMOVE ALL DEMOLISHED MATERIALS NOT SCHEDULED FOR SALVAGE AND REUSE, OR THOSE TO BECOME PROPERTY OF THE OWNER, LOCAL AUTHORITIES, OR UTILITY COMPANIES FROM THE SITE AND DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.
17. FOR ADDITIONAL DEMOLITION NOTES, REFER TO STRUCTURAL, MECHANICAL AND ELECTRICAL DRAWINGS. IN DEMOLITION PLANS SHALL BE USED IN CONJUNCTION WITH DRAWINGS FOR NEW CONSTRUCTION (INTERIOR ELEVATIONS, DETAILS, ETC.) SO THAT EXACT LIMIT AND BOUNDARIES OF SPECIFIC DEMOLITION MAY BE DETERMINED.
18. DEMOLITION PLANS SHALL BE USED IN CONJUNCTION WITH DRAWINGS FOR NEW CONSTRUCTION (INTERIOR ELEVATIONS, DETAILS, ETC.) SO THAT EXACT LIMIT AND BOUNDARIES OF SPECIFIC DEMOLITION MAY BE DETERMINED.


1 DEMOLITION PLAN - FIRST FLOOR
SCALE: 1/8"=1'-0"

DEMOLITION PLAN LEGEND

- REMOVE EXISTING DOOR & FRAME COMPLETELY
- REMOVE EXISTING DOOR & FRAME COMPLETELY
- COLUMN LINE TAG

DEMOLITION PLAN KEY NOTES

- 1 REMOVE AND DISPOSE (R & D) OF EXISTING WINDOWS AND FRAMES COMPLETELY. PREPARE UNIT AS REQ'D TO RECEIVE NEW WINDOW UNITS
- 2 REMOVE AND DISPOSE (R & D) OF EXISTING DOORS, HARDWARE AND FRAMES COMPLETELY
- 3 REMOVE AND DISPOSE (R & D) OF EXISTING RAMP
- 4 R&D ENTIRE WOOD LOADING DOCK COMPLETELY
- 5 FILL EXISTING MASONRY OPENING AS INDICATED, TYPICAL
- 6 REOPEN EXISTING BLOCKED MASONRY OPENINGS TO RECEIVE NEW WINDOWS AS SCHED'
- 7 MODIFY EXISTING MASONRY OPENING TO RECEIVE NEW WINDOWS AS SCHED'
- 8 NEW MASONRY OPENING COORDINATE W/ FLOOR PLAN FOR NEW DOOR SIZE
- 9 R & D EXISTING LIFT. COMPLETELY FILL IN EXISTING SECOND FLOOR
- 10 MODIFY EXISTING MASONRY OPENING, PROVIDE NEW STRUCTURAL STEEL LINTEL ANGLES AS REQ'D
- 11 FILL EXISTING M.O. AS INDICATED, TYPICAL. NEW FDN. STUB WALL TO LEVEL OF SHED AREA. DOWEL TO EXISTING WALL (NOT USED)
- 12 INFILL RAMP DOWN AREA (NOT USED)
- 13 CREATE NEW MASONRY OPENING FOR DOOR & FRAME. SEE FLOOR PLAN AND DOOR SCHEDULE
- 14 CREATE NEW MASONRY OPENINGS TO MATCH EXISTING
- 15 R&D ENTIRE EXISTING PASSAGEWAY DOWN TO CONC. FINISH
- 16 PROVIDE OPENING FOR NEW 16'-0" X 21'-0" SKYLIGHT. SALVAGE EXISTING WOOD ROOF DECKING
- 17 REMOVE EXISTING WINDOW MONITOR, COMPLETELY INFILL ROOF DECKING WITH SALVAGED MATL. FROM NEW SKYLIGHT OPENING
- 18 R & D CONCRETE STAIRS COMPLETELY
- 19 CREATE NEW MASONRY OPENINGS TO MATCH EXISTING FOR "B" TYPE WINDOWS
- 20 R&D EXISTING WOOD STAIR COMPLETELY
- 21 REMOVE EXISTING FLOOR DECKING AS REQ'D FOR INSTALLATION OF NEW STAIR. SEE FLOOR PLAN



2 DEMOLITION PLAN - SECOND FLOOR
SCALE: 1/8"=1'-0"

ISSUE NO.	DATE	DESCRIPTION
ISSUE NO. 2	08/09/01	ISSUED FOR BID
ISSUE NO. 1	08/09/01	ISSUED FOR BID

PARAMOUNT CORPORATE OFFICES

AMERICAN TOURISTER COMPLEX
MAIN STREET
WARREN, RI



JOB # 903.01

DEMOLITION PLANS

SCALE AS NOTED


ALL DRAWINGS, PLANS, REPORTS, SPECIFICATIONS, COMPUTER DATA FILES, FIELD NOTES, AND ALL OTHER DOCUMENTS PREPARED BY ARCHITECTURA, INC., AS INSTRUMENTS OF SERVICE, SHALL REMAIN THE PROPERTY OF ARCHITECTURA, INC. ARCHITECTURA, INC. SHALL RETAIN ALL COMMON LAW, STATUTORY, AND OTHER RESERVED RIGHTS, INCLUDING THE COPYRIGHT THEREIN.

ALL DRAWINGS, PLANS, REPORTS, SPECIFICATIONS, COMPUTER DATA FILES, FIELD NOTES, AND ALL OTHER DOCUMENTS PREPARED BY ARCHITECTURA, INC., AS INSTRUMENTS OF SERVICE, SHALL REMAIN THE PROPERTY OF ARCHITECTURA, INC. ARCHITECTURA, INC. SHALL RETAIN ALL COMMON LAW, STATUTORY, AND OTHER RESERVED RIGHTS, INCLUDING THE COPYRIGHT THEREIN.



1 FIRST FLOOR PLAN
SCALE: 1/8"=1'-0"

2 SECOND FLOOR PLAN
SCALE: 1/8"=1'-0"



PARTITION WALL TYPES
SCALE: 1 1/2"=1'-0"


ISSUE NO.	DATE	DESCRIPTION
ISSUE NO. 2	08/09/01	ISSUED FOR BID
ISSUE NO. 1	08/01/01	ISSUED FOR PERMIT

**PARAMOUNT
CORPORATE OFFICES**
AMERICAN TOURISTER COMPLEX
MAIN STREET
WARREN, RI

JOB # 903.01
**FIRST & SECOND
FLOOR PLANS & WALL
DETAILS**

SCALE AS NOTED

ALL DRAWINGS, PLANS, REPORTS, SPECIFICATIONS, COMPUTER DATA FILES, FIELD NOTES, AND ALL OTHER DOCUMENTS PREPARED BY ARCHITECTURA, INC., AS INSTRUMENTS OF SERVICE, SHALL REMAIN THE PROPERTY OF ARCHITECTURA, INC. ARCHITECTURA, INC. SHALL RETAIN ALL COMMON LAW, STATUTORY, AND OTHER RESERVED RIGHTS, INCLUDING THE COPYRIGHT THEREIN.



ISSUE NO. 2	08/09/01	ISSUED FOR BID
ISSUE NO. 1	08/01/01	ISSUED FOR PERMIT
ISSUE NO.	DATE	DESCRIPTION

**PARAMOUNT
CORPORATE OFFICES**


AMERICAN TOURISTER COMPLEX
MAIN STREET
WARREN, RI

JOB # 903.01

SECOND FLOOR PLAN

SCALE AS NOTED

±504'-0"



±200'-0"

(A-000)

AMERICAN TOURISTER
 WARREN, RHODE ISLAND

DATE	
DESCRIPTION	
REV	

EXISTING FLOOR PLANS

Project Name	WARREN
Client Name	ATA
Project No.	WARREN-01
Phase	CONCEPT
Author	AS
Checked	AS

A1.01



OFFICE SPACE